



- ❖ A Genetic Predictive Model for Canine Hip Dysplasia: Integration of Genome Wide Association Study (GWAS) and Candidate Gene Approaches. B. Nerea 1et al. PLoS ONE, 2015.
- ❖ Identification and Validation of Quantitative Trait Loci (QTL) for Canine Hip Dysplasia (CHD) in German Shepherd Dogs. L. Fels et al. PLoS ONE, 2014.
- ❖ Long-term genetic selection reduced prevalence of hip and elbow dysplasia in 60 dog breeds. A. M. Oberbauer et al. PLoS ONE, 2017.
- ❖ Joint Genomic Prediction of Canine Hip Dysplasia in UK and US Labrador Retrievers. M. Edwards et al. Front. Genet, 2018.
- ❖ Quantitative trait loci mapping for canine hip dysplasia and its related traits in UK Labrador Retrievers. E. S. Molano et al. BMC Genomics, 2014.
- ❖ Diagnosis, prevention, and management of canine hip dysplasia: a review. E. R. Schachner et al. Veterinary Medicine: Research and Reports, 2015.
- ❖ A genetic predictive model for canine hip dysplasia: integration of genome wide association study (GWAS) and candidate gene approaches. N. Bartolomé et al. PLoS ONE, 2015.
- ❖ Emerging insights into the genetic basis of canine hip dysplasia. M. Ginja et al. Veterinary medicine: Research and Reports, 2015.